

WATER TARIFF SCHEDULE

Utility: Clearwater Utilities, Inc. Docket NO: W-01752A-01-0113

DECISION NO: 66782 EFFECTIVE: 4/1/2004

RATES AND CHARGES

CUSTOMER MINIMUM CHARGES

METER	CHARGES	GALLONS	
5/8X3/4"	\$10.00	0	
3/4"	\$10.00	0	
1"	\$20.00	0	
1 1/2"	\$25.00	0	
2"	\$36.00	0 .	
3"	\$55.00	0	
4" ·	\$76.00	0	
6"	\$100.00	0	
		-	

SERVICE LINE & METER INSTALLATION CHARGES

METER		CHARGES
5/8 X 3/4"		\$500.00 \$500.00
1"		\$625.00
1 1/2" 2"		\$850.00 \$1,380.00
3" 4"	,	\$1,890.00
6"		\$2,935.00 \$5,350.00

GALLONAGE CHARGE (PER 1,000 GALLONS)

LID TO G GGG	
UP TO 8,000	\$1.45
8,000-25,000	\$1.65
25,001-40,000	\$1.65
OVER 40,000	\$2.00
STAND PIPE SALES	
PER 1.000	\$3.50

SERVICE CHARGES

1. ESTABLISHMENT (R14-2-603.D.1)	\$30.00
2. ESTABLISHMENT/AFTER HOURS (R14-2-403.D.2)	\$40.00
3. RECONNECTION/DELINQUENT (R14-2-403.D.1)	\$35.00
4. NSF CHECK (R14-2-409)	\$25.00
5. METER REREAD/IF CORRECT (R14-2-403.C.2)	\$25.00
6. METER TEST/IF CORRECT (R14-2-408.F.1)	\$75.00

APPROVED FOR FILING

DECISION #: (DOS)

ORIGINAL

7. DEFERRED PAYMENT (PER MONTH)

8. DEPOSIT INTEREST

9. DEPOSIT (R14-2-403.B.7)

10. RE-ESTABLISHMENT W/N 12 MONTHS

TIMES MINIMUM

1.50%

PER RULE

PER RULE

MONTHS OFF SYSTEM

TIMES MINIMUM

MONTHLY SERVICE CHARGE FOR FIRE SPRINKLER:

4" OR SMALLER	}	
6"	}	1% OF MONTHLY MINIMUM FOR A COMPARABLE
8"	}	SIZE METER CONNECTION, BUT NO LESS THAN
10"	ĵ	\$5.00 PER MONTH (REQUIRES SEPARATE
LARGER THAN 10"	}	SERVICE LINE.)

OTHER RATES AND CHARGES APROVED BY ORDER

IN ADDITION TO THE COLLECTION OF ITS REGULAR RATES AND CHARGES, THE COMPANY SHALL COLLECT FROM CUSTOMERS THEIR PROPORTIONATE SHARE OF ANY PRIVILEGE, SALES OR USE TAX IN ACCORDANCE WITH R14-2-40-.D.5.

APPROVED FOR FILING

DECISION #: 66780

ORIGINAL LEARWATER UTILITIES, INCECTIVED MALE IN COMPRESSION

Administration Offices: 7730 North 2nd Avenue, Phoenix, Arizona 85021, (602) 943 950 AH 94 CONTROL

TARIFF SCHEDULE

CLEARWATER UTILITIES CO., INC. 20441 W. Chayenne Rd. Bookeve. AZ 85324

Filed By:

Pagl B. Budhim

Title:

Presideal

Date of Original Filing: February 15. 1994 Systemi

ALL SERVICE AREAS

CROSS COMMEDITIEN CONTROL

U-1752-94-045

APPLICABILITY:

All customers served by Clearwater Utilifies Co., Inc.

CHERCSE:

To protect the public water accold in Clearwater Utilities Sumpany. Inc. centificated area from contamination caused by harkflow through uporotectar consendingections by resulting the installation and periodic leuting of bactflow prevention assemblies pursuant to the Anizona Anamickhailve Code. Title 14. Chapter 2. Section 405.8.4 as accorded by the Amizoda Componetion Commission and Intly 18, Chapter 4, Sautism 232 as adopted by the Artzona Department of Environmental Guality.

INSPECTION:

The customer shall cooperate with Clearwater Utilities. Co., inc. in its efforts to investigate and determine the degree of optential health hazard to its water system from conditions existent on the customers premises.

REAUTREMENTS:

It compliance with the Rules and Recuistions of the Arizona Servoration Commission and the Artzone Department of Environmental Cuslity, specifically 0.4.00. 974-77405.8.4 and A.A.D. R/8-4-232 relating to barkflow energetics. Classwater Thilleties Co., Tec. may require a sociomen to say Port install, maintain, test and repair withackflox oneverying assembly th A.A.C. BiB-4-2328 on C applies. Baid colleton assembly shall comply with the requirements set forth in 1.4.0. P19-4-232D and

APPROVED FOR FILING

DECISION #: 58554

EFFECTIVE MARCH 25, 1994



ORIGINAL

Clearwater Utilities Company, Inc. shall give any customer who is required to install/and or test a backflow prevention assembly written notice of said requirement. If A.A.C. R14-2-410.B la is not applicable, the customer will be permitted 30 days to comply with this resultement. If the customer shows soon cause why the assembly can not be installed Clearwater and/or a member of the A.C.C. staff may grant additional lime.

Tasting shall conform with the requirements set forth by A.A.C. R:8-4-232 F. Clearwater shall not require an upreasonable number of tests.

Destoner shall provide Clearwater Utilities Co., Inc. with records of installation and feeting. Records shall include: a. backflow assembly I.D. # and description.

- b. location.
- c. date(s) of test(s).
- d. description of repairs made by teater.
- e. tester's name and cartificate 4.

DISCONTINUANCE OF SERVICE:

In accordance with A.A.D. RIA-2-407 and AtO and the provisions of this tariff. Clearwater Utilities Co., Inc. may comminate or deny service to a customer who fails to install and/or test a backflow prevention assembly as required by this teriff,

- 1. In the event the backflow prevention assembly has not been installed on fails any test and A.A.C. R14-2-410B is applicable. Clearwater Utilities Co., Inc. may ferminate service immediately and without notice. The backflow prevention assembly shall be installed/remained and natested opfore service is restored
- 2. In the event the backflow prevention assembly has not been installed on fails any test and APADE R14-2-410 B. In is not applicable, the packflow prevention assembly shall be installed and/or repaired by the dustomer and retested within 14 days of whitten notice by Clearwater Utilinans Tol., Inc. Failure to install on to remedy the definency of disfunction of the assembly, or failure to retest shall be grounds for termination of water until v service in accompance with A.E.E. 844-7-440.

APPROVED FOR FILING

DECISION #: 58554

EFFECTIVE: MARCH 25, 1994